



UNIVERSITY OF ILLINOIS
LIBRARY

Class
580.5

Book
FB

Volume
1
cop. 2

JUN 20 1961

CENTRAL CIRCULATION BOOKSTACKS

The person charging this material is responsible for its return to the library from which it was borrowed on or before the **Latest Date** stamped below.

Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.

TO RENEW CALL TELEPHONE CENTER, 333-3400

UNIVERSITY OF ILLINOIS LIBRARY AT URBANA-CHAMPAIGN

APR 21 1992

When renewing by phone, write new due date below previous due date.

79521 L162

1874

FIELD COLUMBIAN MUSEUM

PUBLICATION 48.

BOTANICAL SERIES.

VOL. I, No. 6.

PLANTÆ INSULÆ ANANASENSIS

A CATALOGUE OF PLANTS COLLECTED ON THE
ISLE OF PINES, CUBA, BY DON JOSÉ BLAIN.

BY

CHARLES FREDERICK MILLSPAUGH, M. D.,

Curator, Department of Botany.



CHICAGO, U. S. A.

August, 1900.

PLANTÆ INSULÆ ANANASENSIS.

CHARLES FREDERICK MILLSAUGH, M.D.

This museum lately came into possession of a set of plants collected by Don José Blain, on the northern portion of the Isle of Pines, Cuba, and sent by him to Sr. Sauvalle, who communicated them to Mr. Charles Wright, from the remains of whose herbarium they were obtained.

This collection proves to be a particularly interesting one, not only on account of the few common forms of the island included in its 185 numbers, but also because of the scarcity of plants from that region in herbaria. For these reasons they are considered worthy of publication as a whole.

Many of the sheets bear determinative remarks by either Sauvalle or Wright, and a few the insular vulgar name, and month of flowering; but on none of them is the year of collection, which must, however, have been some time in the middle 60's.

With the exception of a few small plants, the specimens are chiefly flowering tips, and do not exist in duplicate to any extent; while a few of the numbers are too scrappy to be determinable with certainty; these latter are not included in the following list:

CATALOGUE.

PINACEÆ.

Pinus Cubensis Griseb. Mem. Am. Acad., 1863, 530.

(96, 108). "The cones of this species never open.—Blain."

CYPERACEÆ.

Kyllingia brevifolia Rottb. Desc. et Ic., 13.

(168).

Heleocharis interstincta (Vahl.) R. Br. Prod., 224.

(113). *Cyperus* Vahl.

Rynchospora scutellata Griseb. Cat. Pl. Cub., 246.

(43). "Cortadera."

PALMACEÆ.

Sabal Blackbournianum Glaz. Loud. Gard. Mag., 1829, 52.
(75, 94). "Guam de Caña Legitimo."

Geonoma Swartzii Griseb. & Wendl. Cat. Pl. Cub., 222.
(170). *Elæis occidentalis* Sw. *Calyptronoma* Griseb. Pl. Br.
W. I., 518.

RESTIONACEÆ.

Paepalanthus androsæus Griseb. Cat. Pl. Cub., 225.
(151). May.

LILIACEÆ.

Similax Havanensis Jacq. Enum., 33.
(39, 95). "Zarzuela."

HAEMODORACEÆ.

Xiphidium floribundum Sw. Prod. Veg. Ind. Occ., 17.
(45). "In Cuba this species grows only in shady situations in
glens, never on the open savannas; here, however, it seeks the open
plains far from shade.—Blain."

AMARYLLIDACEÆ.

Crinum erubescens Soland. Ait. Hort. Kew., 1:143.
(46).

Hypoxis juncea Sm. Spicil., 15.
(33). June.

Hypoxis scorzonerifolia Lam. Encyc., 3:183.
(34). May.

DIOSCOREACEÆ.

Dioscorea trifida L. f. Supp., 427.
(98). "Couche Couche."

IRIDACEÆ.

Sisyrinchium sp.
(48). June. "Flowers blue."

ZINGIBERACEÆ.

Zingiber officinale Rosc. Trans. Linn. Soc., 8:348.
(105). "Ajénjibre."

ORCHIDACEÆ.

Vanilla anaromatica Griseb. Fl. Br. W. I., 638.
(123). "Bejuco Caballero."

Epidendron pallidiflorum Hook. Bot. Mag., t. 2980.
(82, 122).

PIPERACEÆ.

- Piper tuberculatum** Jacq. Ic. Pl. Rar., 2:2.
(17, 20, 40, 181). May to June.

POLYGONACEÆ.

- Polygonum glabrum** Willd. Sp. 2:447.
(109.)
- Coccoloba retusa** Griseb. Cat. Pl. Cub., 61.
(185). August. "Manati."

AMARANTACEÆ.

- Lithophila vermiculata** (L.) Uline. Field Col. Mus. Bot., 2:39.
(76). June. "Peregil de Costa."

NYCTAGINACEÆ.

- Pisonia rotundata** Griseb. Cat. Pl. Cub., 283.
(8).

MENISPERMACEÆ.

- Cissampelos Pareira** Linn. Sp. Pl., 1031.
(52). June.

LAURACEÆ.

- Nectandra patens** (Sw.) Griseb. Fl. Br. W. I., 231.
(90). Santa Fé, June. "Moniato."
- Nectandra exaltata** Griseb. Cat. Pl. Cub., 111.
(116). "Boniatiflo." "Rangel." February.

CAPPARIDACEÆ.

- Cleome procumbens** Jacq. Enum. Pl. Carib., 261.
(49).

ROSACEÆ.

- Hirtella mollicoma** H. B. K. Nov. Gen. et Sp., 7:263.
(25). "Teta de Jagua." "Icaco Peludo." "Icaco de Aura."

LEGUMINOSACEÆ.

- Acacia Vincentis** (Bth.) Griseb. Fl. Br. W. I., 222.
(120). April.
- Indigofera pascuorum** Bth. Ann. Nat. Hist., 1839, 431.
(23).
- Brya Ebenus** (L.) de C. Prod., 2:421.
(135). "Ebena."
- Aeschynomene tenuis** Griseb. Cat. Pl. Cub., 72.
(24). June.

Zornia diphylla Pers. Syn., 318.

(101). November.

Meibomia scorpiurus (Sw.) Kuntze. Rev. Gen., 198.

(77).

Piscidia erythrina Linn. Syst. ed. x, 1155.

(159). May. "Guama Hediondo."

Clitoria glomerata Griseb. Cat. Pl. Cub., 62.

Clitoria cajanifolia Bth. Mart. Fl. Braz., 15, 1:121.

(29). June. "Papo de la Reina."

Canavalia Cubensis Griseb. Mem. Am. Acad., 1861, 178.

(97). December. "Maté."

Galactia angustifolia retusa Wright, Griseb. Cat. Pl. Cub., 75.

(61).

Galactia filiformis Cubensis (Kth.) Griseb. Cat. Pl. Cub., 75.

(92).

Eriosema crinitum G. Don. Gen. Syst., 2:348.

(47). July.

OXALIDACEÆ.

Oxalis frutescens Linn. Sp. Pl., 435.

(27, 139). May. Flowering peduncles twice exceeding the leaf.

ERYTHROXYLACEÆ.

Erythroxylum alaternifolium A. Rich. Ess. Fl. Cub., 256.

(55, 155, 165). May to July. "Arabillo."

ZYGOPHYLLACEÆ.

Guaicum sanctum Linn. Sp. Pl., 382.

(124).

BURSERACEÆ.

Protium heptaphyllum (Aubl.) March, Kjoeb. Vid. Med., 1873, 55.

(7, 35, 161). May. "Copal."

MALPIGHIACEÆ.

Malpighia coccigera Linn. Sp. Pl., ed. 2:426.

(36). May and June. "Palo Bronco de Pinares."

Malpighia urens Linn. *ibid.*

(37). June.

Malpighia setosa Spr. Neue. Entdeck., 3:50.

(144). "Palo Bronco."

Byrsonima verbascifolia Rich. An. Mus. Par., 1811, 481.

(134, 141, 172). May. "Paralejo blanco del Pinar."

Byrsonima Cubensis Juss. Arch. Mus. Par., 1843, 292.
(136). May to June.

POLYGALACEÆ.

Polygala unciata (Wright Mss.) sp. nov.

Glabrous. Rameal leaves minute. Flowers rosaceous; lower sepals narrowly oblong, shorter than the broadly elliptic upper one; wings obovate, twice as long as the obovate-oblong, scarcely emarginate capsule. Seeds suspended by a slender funiculus, obovate-elliptic, blackish, covered with spreading stiffish hairs uncinata at the apex and nearly equaling the short diameter of the seed.

Stems slender, terete, 35-40 cm. long; branches filiform 10-20 cm. long; leaves 1-1.5 mm. long. Near *P. glochidiata* H. B. K.

(16, 160). June.

EUPHORBIACEÆ.

Croton reptans Sw. Prod. Veg. Ind. Occ., 99.

(62). June.

Croton crasspedotrichus Griseb. Goet. Nach., 1865, 173.

(63).

Croton cerinus Müll. deC. Prod. 15, 2:570.

(64). June.

Croton lobatus Linn. Sp. Pl., 1005.

(81).

Croton bispinosus Wright, Sauv. Fl. Cub., 128.

(117, 178).

Croton discolor Willd. Sp., 4:582.

(133). May.

Phyllanthus cyclanthera Baill. Adansonia, 1:31.

(107).

Phyllanthus diffusus Kl. Seem. Bot. Voy. Her., 105.

(174).

Pera oppositifolia Griseb. Goett. Nachr., 1865, 181.

(53).

Jatropha multifida Linn. Sp. Pl., 1006.

(106). "Chayo Coral."

Sebastiania corniculata (Baill.) Müll. deC. Prod., 15, 2:1168.

(111).

AQUIFOLIACEÆ.

Ilex montana Griseb. Mem. Am. Acad., 1861, 171.

(152). June and July.

HIPPOCRATEACEÆ.

Salacia Blainii sp. nov.

Shrubby, branches virgate, puberulous at the tips. Leaves petiolate, glabrous, finely and prominently venulate, whitish beneath, obovate, acute, narrowed at the base or somewhat rounded, shallowly crenate-dentate, the teeth glandular. Inflorescence in axillary, long peduncled trichotomous cymes about two-thirds the length of the leaves; calyx lobes ovate-deltoid, ciliate on the margin, about one-fourth the length of the ligulate, acute, pulverent petals; stamens 3, attached to the summit of the receptacle near the base of the style; filaments ligulate, curved, anther oval, the cells confluent, transversely dehiscent. Disk large, conical, crenate below; ovary 3-celled, imbedded in the apex of the disk, cells 4-ovuled; style long, stigma capitate, 3-lobed. Fruit unknown.

Leaves 5-7.5 x 2.5-3 cm., petioles 6-8 mm., internodes about 4 cm. (176).

STAPHYLEACEÆ.

Huertea Cubensis Griseb. Cat. Fl. Cub., 66.

(115, 169). "Rangel."

TILIACEÆ.

Belotia grewiaefolia A. Rich. Ess. Fl. Cub., 209.

(175).

MALVACEÆ.

Sida hедераefolia Cav. Diss., 1:8.

(41).

Sida cordifolia Linn. Sp. Pl., 684.

(102). November.

Pavonia racemosa Sw. Fl. Ind. Occ., 2:1215.

(87). June. "Majaquillo de Corte."

STERCULIACEÆ.

Melochia hirsuta Cav. Diss., 6:323.

(14). June.

THEACEÆ.

Haemocharis Curtyana (Rich.) comb. nov.

(22). *Laplacea* Rich. Ess. Fl. Cub., 225. "Almendro."

GUTTIFERACEÆ.

Hypericum galioides Cubensis Griseb. Cat. Pl. Cub., 39.

(129, 150). May.

FLACOURTIACEÆ.

Flacourtia inermis Roxb. Hort. Beng., 73:
(121). “An introduced tree—Blain.”

Samyda grandiflora Griseb. Cat. Pl. Cub., 11.
(112).

THYMELEACEÆ.

Lagetta lintearia Lam. Encyc., 3:376.
(158).

LYTHRACEÆ.

Cuphaea pseudomelanium Griseb. Cat. Pl. Cub., 104.
(65, 66).

COMBRETACEÆ.

Bucida Buceras Linn. Syst. ed. x:1025.
(130). May. “Jucaro Prieto.”

Laguncularia racemosa Gaertn. Fruct., 3:209.
(80). June. “Pataban.”

MYRTACEÆ.

Chytraculia punctata (Griseb.) comb. nov.
(148, 166). May. *Calyptranthes* Griseb. Mem. Am. Acad., 1861, 181.

Eugenia brevipes A. Rich. Ess. Fl. Cub., 584.
(54).

Eugenia dichotoma (Vahl.) de C. Prod., 3:378.
(114).

MELASTOMACEÆ.

Chaetolepis Cubensis (Wright) Tri. Trans. Linn. Soc., 1871, 51.
(67). June.

Chaetolepis saturaeioides Tri. Trans. Linn. Soc., 1871, 51.
(164). May and June.

Acisanthera quadrata Juss. Poir. Encyc. Supp., 1:111.
(70, 162). May and June.

Tetrazygia argyrophylla (Rich.) comb. nov.
(131). *Naudinia* Rich. Cub., t. 44.

Miconia prasina de C. Prod., 3:188.
(1, 2, 4, 5, 6, 127). May to June. “Cordovancillo.”

Miconia Wrightii (Griseb.) Trian. Trans. Linn. Soc., 1841, 103.
(138, 140). May.

Miconia praecox Wright, Sauv. Fl. Cub., 47.
(167).

Miconia androsaemifolia Griseb. Cat. Pl. Cub., 100.
(171).

Pachyanthus Cubensis A. Rich. Ess. Fl. Cub., 1:560.
(68).

Clidemia spicata (Aubl.) de C. Pród., 3:159.
(69, 125). May and June.

Ossaea macrandra (Wright) comb. nov.
(73, 74, 91). June. *Sagraea* Wr. Sauv. Fl. Cub., 46.

Henriettella parviflora Trian. Trans. Linn. Soc., 1871, 144.
(3, 71). "Cordovan."

ARALIACEÆ.

Gilibertia cuneata March, Mart. Fl. Braz., 11, 1:250.
(21, 31, 149). May to June.

EBENACEÆ.

Maba Caribaea (de C.) Hiern. Tr. Camb. Phil. Soc., 1873, 125.
(128, 180). May. "Ebena Carbonero."

Diospyros laurifolia A. Rich. Fl. Cub. Fan., 2:86.
(179). "Zapote Negro."

SYMPLOCACEÆ.

Symplocos salicifolia Griseb. Cat. Pl. Cub., 168.
(137).

Symplocos Martinicense Jacq. Enum. Pl. Carib., 24.
(157). May.

LOGANIACEÆ.

Spigelia Blainii sp. nov.

Glabrous. Erect from a subligneous rootstalk; stem tetragonal, sparingly branched or simple, nodes few. Leaves sessile, narrowly lanceolate, acuminate, scabrous on the revolute margin. Spikes terminal and axillary, ascending, 3-7-flowered; flowers sessile, corolla tube elongated-cylindrical, 6 times the length of the calyx; calyx lobes 5, ligulate, recurved at the apex. Corolla lobes ovate, acute. Fruit unknown.

Stems 5-15 cm.; upper internodes 4-5 cm.; spikes at length about 5 cm.; flowers 1 cm. distant. Leaves on the young plants 1-1.5 cm. x 1 mm., older leaves 2-3 cm. x 3-4 mm.

(51).

APOCYNACEÆ.

Cameraria retusa Griseb. Fl. Br. W. I., 410.
(145). "Illaba de los Pinares."

Echites paludosa Vahl, Ec. Am., 2:19.

(78). June. "Clavelitas de Sabana."

Echites umbellata Jacq. Pl. Carib., 13.

(88).

Forsteronia corymbosa Mey. Prim. Fl. Esseq., 134.

(93). "Curamaquey Prieto."

ASCLEPIADACEÆ.

Philibertia viminalis (Sw.) A. Gray, Proc. Am. Acad., 12:64.

(104). September and October.

Metastelma hamatum Griseb. Cat. Pl. Cub., 173.

(110).

Marsdenia umbellata Griseb. Cat. Pl. Cub., 178.

(118).

CONVOLVULACEÆ.

Ipomoea Batatas (Linn.) Poir. Lam. Encyc., 6:14.

(99). "Flor de Boniato."

Ipomoea argentifolia A. Rich. Fl. Cub., 2:131.

(100).

Ipomoea repanda Jacq. Enum. Pl. Carib., 13.

(132).

Evolvulus sericeus Sw. Prod. Veg. Ind. Occ., 55.

(10). June.

BORRAGINACEÆ.

Tournefortia volubilis Linn. Sp. Pl., 146.

(42).

Heliotropium Curassavicum Linn. Sp. Pl., 130.

(84). August.

Heliotropium reversiferum (Wright nom. herb.) sp. nov.

Suffrutescent; branches erect, aciculate-pilose throughout. Leaves narrowly lanceolate, subsessile or short petioled. Inflorescence a densely flowered, rarely 2-forked spike, strongly circinate at the apex, often twice or thrice reversed, as evidenced by the 2-3-curved fruiting portion. Corolla nearly as long as the calyxlobes, smooth within. Anthers sessile, distinct, acuminate, inserted above the base of the corolla tube. Calyx lobes ovate-acute, unequal. Stigma phalloid, 4-lobed, with a ring of teeth at the apex and a secondary one of scale-like, thick hairs at the base; style slightly longer than the stigma. Fruit a conical cluster of 4 3-gonal nutlets, slightly aciculate-hairy at the base.

Stems ligneous, prostrate; branches slender, erect, terete, 17-26 cm., branchlets few. Leaves 1-1.5 x .2-.4 cm. Apparently near *H. filiforme* Kth.

At San Francisco, four leagues from Santa Fé, June.

(58, 85).

VERBENACEÆ.

Lantana involucrata Linn. Amoen. Acad., 4:319.

(142).

Lippia nodiflora (L.) Michx. Fl. Bor. Am., 2:15.

(79). June.

Petitia Poeppigii Schau. de C. Prod., 3:639.

(18). June. "Roble Guayo."

LABIATACEÆ.

Mesosphaerum actinocephalum (Griseb.) Ktze. Rev. Gen., 526.

(26).

SOLANACEÆ.

Physalis angulata Linn. Sp. Pl., 183.

(126). "Huevo Gallo." "A valuable anti-venereal.—Blain."

SCROPHULARIACEÆ.

Gerardia Domingensis Spr. Syst., 2:807.

32). May and June.

BIGNONIACEÆ.

Tecoma lepidophylla Griseb. Mem. Am. Acad., 1862, 524.

(173). "Roble del Pinar." "Caimito Partido de las Pocas."

GESNERIACEÆ.

Conradia pumila Mart. Nov. Gen. et Sp., 348.

(50). June.

ACANTHACEÆ.

Stenadium droseroides Nees de C. Prod., 11:284.

(11). June.

RUBIACEÆ.

Oldenlandia corymbosa Linn. Sp. Pl., 119.

(9). June.

Rondeletia correifolia Griseb. Cat. Pl. Cub., 129.

(153, 163). May.

Exostemma ellipticum Griseb. Pl. Wr. Cub., 504.

(12). "Vigueta Blanca." "Quina." "Piton." June. "Anti-febrile.—Blain."

Cephalanthus occidentalis salicifolius (H. & B.) A. Gray, Fl. N. A., 1, 2:29.

(89). "Aroma de Laguna."

Guettarda calyptrata A. Rich. Fl. Cub., 2:21.

(147). May.

Machaonia cymosa Griseb. Fl. Br. W. I., 348.

(44).

Psychotria tubulosa A. Rich. Fl. Cub., 2:27.

(15, 28, 154, 183). May and June.

Faramea odoratissima de C. Prod., 4:496.

(19). June.

Morinda Roioc Linn. Sp. Pl., 176.

(146). May.

Spermaceoce podocephala (de C.) A. Gray, Fl. N. A., 1, 2:34.

(56).

CUCURBITACEÆ.

Fevillea cordifolia Linn. Sp. Pl., 1013.

(119). "Flor Macho."

COMPOSITACEÆ.

Lachnorrhiza piloselloides A. Rich. Fl. Cub., 2:34.

(83). June.

Eupatorium foeniculaceum Willd. Sp. Pl., 3:1750.

(103).

Sachsia polycephala Griseb. Cat. Pl. Cub., 151.

(38).

Heptanthus ranunculoides Griseb. Cat. Pl. Cub., 148.

(57).




INDEX.

	PAGE.		PAGE.
Acacia Vincentis (Bth.) Griseb....	427	Croton bispinosus Wright.....	429
Acisanthera quadrata Juss.....	431	Croton cerinus Müll.....	429
Aeschynomene tenuis Griseb.....	427	Croton crasspedotrichus Griseb..	429
AJENJIBRE	426	Croton discolor Willd	429
ALMENDRO.	430	Croton lobatus Linn.....	429
ARABILLO	428	Croton reptans Sw.....	429
AROMA DE LAGUNA.....	435	Cuphæa pseudomelanium Griseb.	431
		CURAMAQUEY PRIETO	433
BEJUCO CABALLERO.....	426	<i>Cyperus interstinctus</i> Vahl.....	425
Belotia grewiæfolia A. Rich.....	430		
BONIATILLO	427	Dioscorea trifida Linn. f.....	426
Brya Ebenus (L.) de C	427	Diospyros laurifolia A. Rich.....	432
Bucida Buceras Linn.....	431		
Byrsonima Cubensis Juss.....	429	EBENO.....	427
Byrsonima verbascifolia A. Rich.	428	EBENO CARBONERO.....	432
		Echites paludosa Vahl.....	433
CAIMITO PARTIDO DE LAS POCAS	434	Echites umbellata Jacq	433
<i>Calyptroanthes punctata</i> Griseb..	431	<i>Elæis occidentalis</i> Sw.....	426
<i>Calyptronoma Swartzii</i> Griseb..	426	Epidendrum pallidiflorum Hook.	426
Cameraria retusa Griseb.....	432	Eriosema crinitum G. Don.....	428
Canavalia Cubensis Griseb.....	428	Erythroxyllum alaternifolium A.	
Cephalanthus occidentalis salici-		Rich.....	428
folius (H. & B.) A. Gray.....	435	Eugenia brevipes A. Rich.....	431
Chætolepis Cubensis (Wr.) Trian.	431	Eugenia dichotoma (Vahl) de C..	431
Chætolepis saturæioides Tri.....	431	Eupatorium fœniculaceum Willd	435
CHAYO CORAL.....	429	Evolvulus sericeus Sw.....	433
Chytraculia punctata (Griseb)...	431	Exostemma ellipticum Griseb....	434
Cissampelos Pareira Linn.....	427		
CLAVELITAS DE SABANA.....	433	Fareamea odoratissima de C.....	435
Cleome procumbens Jacq.....	427	Fevillea cordifolia Linn.....	435
Clidemia spicata Aubl.....	432	Flacourtia inermis Roxb.....	431
Clitoria cajanifolia Bth.....	428	FLOR DE BONIATO.....	433
Clitoria glomerata Griseb.....	428	FLOR MACHO.....	435
Coccoloba retusa Griseb.....	427	Forsteronia corymbosa Mey.....	433
Conradia pumila Mart.....	434		
COPAL.....	428	Galactia angustifolia retusa	
CORDOVAN	432	Wright	428
CORDOVANCILLO.....	431	Galactia filiformis Cubensis (Kth.)	
CORTADERA	425	Griseb.....	428
COUCHE COUCHE.....	426	Geonoma Swartzii Griseb. and	
Crinum erubescens Soland.....	426	Wendl.	426

	PAGE.		PAGE.
Gerardia Domingensis Spr.....	434	Malpighia urens Linn.....	428
Gilibertia cuneata March.....	432	MANATI.....	427
Guaicum sanctum Linn.....	428	MONIATO.....	427
GUAMA HEDIONDO.....	428	Marsdenia umbellata Griseb.....	433
GUAM DE CAÑA LEGITIMO.....	426	MATÉ.....	428
Guettarda calyprata A. Rich....	435	Meibomia scorpiurus (Sw.) Kuntze.....	428
Hæmocharis Curtyana (A. Rich.)	430	Melochia hirsuta Cav.....	430
Heleocharis interstincta (Vahl.) R. Br.....	425	Mesosphærum actinocephalum (Griseb.) Kuntze.....	434
Heliotropium Curassavicum Linn	433	Metastelma hamatum Griseb....	433
Heliotropium reversifrum sp. nov.....	433	Miconia androsæmifolia Griseb..	432
Henriettella parviflora Trian....	432	Miconia prasina de C.....	431
Heptanthus ranunculoides Griseb	435	Miconia præcox Wright.....	431
Hirtella mollicoma H. B. K.....	427	Miconia Wrightii (Griseb.) Trian.	431
Huertea Cubensis Griseb.....	430	Morinda Roioc Linn.....	435
HUEVO GALLO.....	434	<i>Naudinia argyrophylla</i> A. Rich..	431
Hypericum galioides Cubensis Griseb.....	430	Nectandra exaltata Griseb.....	427
Hypoxys juncea Sm.....	426	Nectandra patens (Sw.) Griseb...	427
Hypoxys scorzonifolia Lam....	426	Oldenlandia corymbosa Linn....	434
ICACO DE AURA.....	427	Ossæa macrandra (Wr.).....	432
ICACO PELUDO.....	427	Oxalis frutescens Linn.....	428
Ilex montana Griseb.....	429	Pachyanthus Cubensis A Rich....	432
ILLABA DE LOS PINARES.....	432	PALO BRONCHO.....	428
Indigofera pascuorum Bth.....	427	PALO BRONCHO DE PINARES....	428
Ipomoea argentifolia A. Rich....	433	Pæpalanthus androsæus Griseb..	426
Ipomoea Batatas (L.) Poir.....	433	PAPO DE LA REINA.....	428
Ipomoea repanda Jacq.....	433	PARALEJO BLANCO DEL PINAR..	428
JUCARO PRIETO.....	431	PATABAN.....	431
Jatropha multifida Griseb.....	429	Pavonia racemosa Sw.....	430
Kyllingia brevifolia Rottb.....	425	Pera oppositifolia Griseb.....	429
Lachnorrhiza piloselloides Linn..	435	PEREGIL DE COSTA.....	427
Lagetta lintearia Lam.....	431	Petitia Pæppigii Schau.....	434
Laguncularia racemosa Gaertn..	431	Philibertia viminalis (Sw.) A. Gray	433
Lantana involucreta Linn.....	434	Phyllanthus cyclanthera Baill....	429
<i>Laplacea Curtyana</i> A. Rich.....	430	Phyllanthus diffusus Kl.....	429
Lippia nodiflora (L.) Michx.....	434	Physalis angulata Linn.....	434
Lithophila vermiculata (L.) Uline	427	Pinus Cubensis Griseb.....	425
Maba Caribæa (de C.) Hiern....	432	Piper tuberculatum Jacq.....	427
Machaonia cymosa Griseb.....	435	Piscidia erythrina Linn.....	428
MAJAGUILLO DE CORTE.....	430	Pisonia rotundata Griseb.....	427
Malpighia coccigera Linn.....	428	PITON.....	434
Malpighia setosa Spr.....	428	Polygonum glabrum Willd.....	427
		Polygala unciata sp. nov.....	429
		Protium heptaphyllum (Aubl.) March.....	428
		Psychotria tubulosa A. Rich....	435

	PAGE.		PAGE.
QUINA.....	434	Spigelia Blainii sp. nov.....	432
RANGEL.....	427, 430	Stenandrium droseroides Nees....	434
ROBLE DEL PINAR.....	434	Symplocos Martinicense Jacq.....	432
ROBLE GUAYO.....	434	Symplocos salicifolia Griseb.....	432
Rondeletia correifolia Griseb....	434	Tecoma lepidophylla Griseb.....	434
Rynchospora scutellata Griseb...	425	TETA DE JAGUA	427
Sabal Blackburnianum Glaz.....	426	Tetrazygia argyrophylla (A. Rich).....	431
Sachsia polycephala Griseb.....	435	Tournefortia volubilis Linn.....	433
<i>Sagraea macrandra</i> Wright.....	432	Vanilla anaromatica Griseb.....	426
Salacia Blainii sp. nov.....	430	VIGUETA BLANCA.....	434
Samyda grandiflora Griseb.....	431	Xiphidium floribundum Sw.....	426
Sebastiania corniculata (Baill.) Müll.....	429	ZAPOTE NEGRO.....	432
Sida cordifolia Linn.....	430	ZARZUELA.....	426
Sida hederæfolia Cav.....	430	Zingiber officinale Rosc.....	426
Sisyrinchium sp.....	426	Zornia diphylla Pers	428
Smilax Havanensis Jacq.....	426		
Spermacoce podocephala (de C.) A. Gray.....	435		



BIAN MUSEUM

TION 68.

VOL. I, No. 7.

ORA

THE

ST. CROIX.

MILLSPAUGH, M.D.,
ent of Botany.



. S. A.

1902.

